

## Some properties of 1-hydroxy-1*H*-imidazole-2-carboxylic acid esters



Elena B. Nikolaenkova<sup>1</sup>, Stanislav Yu. Grishchenko<sup>1</sup>,  
Vyacheslav I. Krasnov<sup>1</sup>, Alexsei Ya. Tikhonov<sup>1\*</sup>

<sup>1</sup> N. N. Vorozhtsov Novosibirsk Institute of Organic Chemistry, Siberian Branch of the Russian Academy of Sciences,  
9 Akademika Lavrentieva Ave., Novosibirsk 630090, Russia;  
e-mail: alyatikh@nioch.nsc.ru


### SUPPLEMENTARY INFORMATION

#### Contents



	page
1. Compound <b>1a</b> .....	2
2. Compound <b>1b</b> .....	3
3. Compound <b>3a</b> .....	4
4. Compound <b>3b</b> .....	5
5. Compound <b>3c</b> .....	6, 7
6. Compound <b>3d</b> .....	8
7. Compound <b>3e</b> .....	9
8. Compound <b>3f</b> .....	10
9. Compound <b>3g</b> .....	11, 12
10. Compound <b>3h</b> .....	13
11. Compound <b>3i</b> .....	14
12. Compound <b>3j</b> .....	15
13. Compound <b>3k</b> .....	16, 17
14. Compound <b>3l</b> .....	18, 19
15. Compound <b>4a</b> .....	20
16. Compound <b>4b</b> .....	21, 22
17. Compound <b>4c</b> .....	23, 24
18. Compound <b>4d</b> .....	25-27
19. Compound <b>5</b> .....	28-30
20. Compound <b>6</b> .....	31
21. Compound <b>7</b> .....	32
22. Compound <b>8</b> .....	33
23. Compound <b>9a</b> .....	34
24. Compound <b>9b</b> .....	35




<sup>1</sup>H NMR spectrum of ethyl 4,5-dimethyl-1-hydroxy-1*H*-imidazole-2-carboxylate (**1a**).





<sup>13</sup>C NMR spectrum of ethyl 4,5-dimethyl-1-hydroxy-1*H*-imidazole-2-carboxylate (**1a**).




<sup>1</sup>H NMR spectrum of ethyl 1-hydroxy-4,5,6,7-tetrahydro-1*H*-benzimidazole-2-carboxylate (**1b**).




<sup>13</sup>C NMR spectrum of ethyl 1-hydroxy-4,5,6,7-tetrahydro-1*H*-benzimidazole-2-carboxylate (**1b**).




<sup>1</sup>H NMR spectrum of N-butyl-4,5-dimethyl-1-hydroxy-1H-imidazole-2-carboxamide (**3a**).




<sup>13</sup>C NMR spectrum of N-butyl-4,5-dimethyl-1-hydroxy-1H-imidazole-2-carboxamide (**3a**).




**3b**




<sup>1</sup>H NMR spectrum of N-butyl-1-hydroxy-4,5,6,7-tetrahydro-1*H*-benzimidazole-2-carboxamide (**3b**).




<sup>13</sup>C NMR spectrum of N-butyl-1-hydroxy-4,5,6,7-tetrahydro-1*H*-benzimidazole-2-carboxamide (**3b**).




**3c**




<sup>1</sup>H NMR spectrum of N-butyl-5-(4-fluorophenyl)-1-hydroxy-4-methyl-1H-imidazole-2-carboxamide (**3c**).




<sup>13</sup>C NMR spectrum of N-butyl-5-(4-fluorophenyl)-1-hydroxy-4-methyl-1H-imidazole-2-carboxamide (**3c**).




$^{19}\text{F}$  NMR spectrum of N-butyl-5-(4-fluorophenyl)-1-hydroxy-4-methyl-1*H*-imidazole-2-carboxamide (**3c**).





**3d**




<sup>1</sup>H NMR spectrum of N-butyl-1-hydroxy-4-methyl-5-(thiophen-2-yl)-1H-imidazole-2-carboxamide (**3d**).





<sup>13</sup>C NMR spectrum of N-butyl-1-hydroxy-4-methyl-5-(thiophen-2-yl)-1H-imidazole-2-carboxamide (**3d**).




<sup>1</sup>H NMR spectrum of N-cyclopropyl-4,5-dimethyl-1-hydroxy-1*H*-imidazole-2-carboxamide (**3e**).





<sup>13</sup>C NMR spectrum of N-cyclopropyl-4,5-dimethyl-1-hydroxy-1*H*-imidazole-2-carboxamide (**3e**).




<sup>1</sup>H NMR spectrum of N-cyclopropyl-1-hydroxy-4,5,6,7-tetrahydro-1H-benzimidazole-2-carboxamide (**3f**).




<sup>13</sup>C NMR spectrum of N-cyclopropyl-1-hydroxy-4,5,6,7-tetrahydro-1H-benzimidazole-2-carboxamide (**3f**).





<sup>1</sup>H NMR spectrum of N-cyclopropyl-5-(4-fluorophenyl)-1-hydroxy-4-methyl-1*H*-imidazole-2-carboxamide (**3g**).




<sup>13</sup>C NMR spectrum of N-cyclopropyl-5-(4-fluorophenyl)-1-hydroxy-4-methyl-1*H*-imidazole-2-carboxamide (**3g**).





<sup>19</sup>F NMR spectrum of N-cyclopropyl-5-(4-fluorophenyl)-1-hydroxy-4-methyl-1*H*-imidazole-2-carboxamide (**3g**).



<sup>1</sup>H NMR spectrum of N-cyclopropyl-1-hydroxy-4-methyl-5-(thiophen-2-yl)-1H-imidazole-2-carboxamide (**3h**).





<sup>13</sup>C NMR spectrum of N-cyclopropyl-1-hydroxy-4-methyl-5-(thiophen-2-yl)-1H-imidazole-2-carboxamide (**3h**).




<sup>1</sup>H NMR spectrum of 4,5-dimethyl-1-hydroxy-1*H*-imidazole-2-carbohydrazide (**3i**).





<sup>13</sup>C NMR spectrum of 4,5-dimethyl-1-hydroxy-1*H*-imidazole-2-carbohydrazide (**3i**).




$^1\text{H}$  NMR spectrum of 1-hydroxy-4,5,6,7-tetrahydro-1*H*-benzimidazole-2-carbohydrazide (**3j**).




$^{13}\text{C}$  NMR spectrum of 1-hydroxy-4,5,6,7-tetrahydro-1*H*-benzimidazole-2-carbohydrazide (**3j**).





<sup>1</sup>H NMR spectrum of 5-(4-fluorophenyl)-1-hydroxy-4-methyl-1*H*-imidazole-2-carbohydrazide (**3k**).




<sup>13</sup>C NMR spectrum of 5-(4-fluorophenyl)-1-hydroxy-4-methyl-1*H*-imidazole-2-carbohydrazide (**3k**).



$^{19}\text{F}$  NMR spectrum of 5-(4-fluorophenyl)-1-hydroxy-4-methyl-1*H*-imidazole-2-carbohydrazide (**3k**).




<sup>1</sup>H NMR spectrum of 1-hydroxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carbohydrazide (**31**).





<sup>13</sup>C NMR spectrum of 1-hydroxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carbohydrazide (**31**).


HE-532 #38 RT: 1.94 AV: 1 NL: 5.60E6  
T: + c EI Full ms [32.50-300.50]





High-resolution mass spectrum of 1-hydroxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carbohydrazide (**31**).




<sup>1</sup>H NMR spectrum of ethyl 4,5-dimethyl-1-methoxy-1*H*-imidazole-2-carboxylate (**4a**).



<sup>13</sup>C NMR spectrum of ethyl 4,5-dimethyl-1-methoxy-1*H*-imidazole-2-carboxylate (**4a**).




<sup>1</sup>H NMR spectrum of ethyl 1-methoxy-4,5,6,7-tetrahydro-1H-benzimidazole-2-carboxylate (**4b**).





<sup>13</sup>C NMR spectrum of ethyl 1-methoxy-4,5,6,7-tetrahydro-1H-benzimidazole-2-carboxylate (**4b**).


HE-558 #2 RT: 0.05 AV: 1 NL: 1.58E7  
T: + c EI Full ms [32.50-260.50]




High-resolution mass-spectrum of ethyl 1-methoxy-4,5,6,7-tetrahydro-1*H*-benzimidazole-2-carboxylate (**4b**).





<sup>1</sup>H NMR spectrum of ethyl 5-(4-fluorophenyl)-1-methoxy-4-methyl-1*H*-imidazole-2-carboxylate (**4c**).




<sup>13</sup>C NMR spectrum of ethyl 5-(4-fluorophenyl)-1-methoxy-4-methyl-1*H*-imidazole-2-carboxylate (**4c**).




<sup>19</sup>F NMR spectrum of ethyl 5-(4-fluorophenyl)-1-methoxy-4-methyl-1*H*-imidazole-2-carboxylate (**4c**).




<sup>1</sup>H NMR spectrum of ethyl 1-methoxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carboxylate (**4d**).




<sup>13</sup>C NMR spectrum of ethyl 1-methoxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carboxylate (**4d**).




A part of  $^1\text{H}$ - $^1\text{H}$  NOESY spectrum of ethyl 1-methoxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carboxylate (**4d**).





$^1\text{H}$ - $^{13}\text{C}$  HSQC (red contour lines) and  $^1\text{H}$ - $^{13}\text{C}$  HMBC (blue contour lines) spectra of ethyl 1-methoxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carboxylate (**4d**).




A part of  $^1\text{H}$ - $^{13}\text{C}$  HSQC (red contour lines) and  $^1\text{H}$ - $^{13}\text{C}$  HMBC (blue contour lines) spectra of ethyl 1-methoxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carboxylate (**4d**).




$^1\text{H}$ - $^{15}\text{N}$  HMBC spectrum of ethyl 1-methoxy-4-methyl-5-(thiophen-2-yl)-1*H*-imidazole-2-carboxylate (**4d**).




<sup>1</sup>H NMR spectrum of ethyl 1-methoxy-4-methyl-5-(5-nitrothiophen-2-yl)-1H-imidazole-2-carboxylate (**5**)




<sup>13</sup>C NMR spectrum of ethyl 1-methoxy-4-methyl-5-(5-nitrothiophen-2-yl)-1H-imidazole-2-carboxylate (**5**)





$^1\text{H}$ - $^1\text{H}$  NOESY spectrum of ethyl 1-methoxy-4-methyl-5-(5-nitrothiophen-2-yl)-1*H*-imidazole-2-carboxylate (**5**)




$^1\text{H}$ - $^{13}\text{C}$  HSQC (red contour lines) and  $^1\text{H}$ - $^{13}\text{C}$  HMBC (blue contour lines) spectra of ethyl 1-methoxy-4-methyl-5-(5-nitrothiophen-2-yl)-1*H*-imidazole-2-carboxylate (**5**)





$^1\text{H}$ - $^{15}\text{N}$  HMBC spectrum of ethyl 1-methoxy-4-methyl-5-(5-nitrothiophen-2-yl)-1*H*-imidazole-2-carboxylate (**5**)




<sup>1</sup>H NMR spectrum of ethyl 5-(3,5-dinitrothiophen-2-yl)-1-methoxy-4-methyl-1*H*-imidazole-2-carboxylate (**6**)





<sup>13</sup>C NMR spectrum of ethyl 5-(3,5-dinitrothiophen-2-yl)-1-methoxy-4-methyl-1*H*-imidazole-2-carboxylate (**6**)




<sup>1</sup>H NMR spectrum of ethyl 5-(5-bromothiophen-2-yl)-1-methoxy-4-methyl-1*H*-imidazole-2-carboxylate (**7**)





<sup>13</sup>C NMR spectrum of ethyl 5-(5-bromothiophen-2-yl)-1-methoxy-4-methyl-1*H*-imidazole-2-carboxylate (**7**)




<sup>1</sup>H NMR spectrum of ethyl 4-bromomethyl-5-(5-bromothiophen-2-yl)-1-methoxy-1*H*-imidazole-2-carboxylate (**8**)





<sup>13</sup>C NMR spectrum of ethyl 4-bromomethyl-5-(5-bromothiophen-2-yl)-1-methoxy-1*H*-imidazole-2-carboxylate (**8**)




<sup>1</sup>H NMR spectrum of ethyl 4,5-dimethyl-1*H*-imidazole-2-carboxylate (9a).



<sup>13</sup>C NMR spectrum of ethyl 4,5-dimethyl-1*H*-imidazole-2-carboxylate (9a).



<sup>1</sup>H NMR spectrum of ethyl 4,5,6,7-tetrahydro-1H-benzimidazole-2-carboxylate (**9b**)



<sup>13</sup>C NMR spectrum of ethyl 4,5,6,7-tetrahydro-1H-benzimidazole-2-carboxylate (**9b**).